



TESTMARK Laboratories Ltd.

Committed to Quality and Service

CERTIFICATE OF ANALYSIS

Client: Mark Bocy
Company: RDSB - Westmount Avenue Public School
Address: 69 Young St
Sudbury, ON, P3E 3G5
Phone/Fax: (705) 690-0323 / (705) 671-2442
Email: bocym@rainbowschools.ca;
lavallm@rainbowschools.ca

Work Order Number: 276530
PO #:
Regulation: O.Reg. 243/07
Project #:
DWS #: 500040288
Sampled By:

Date Order Received: 6/17/2016
Arrival Temperature: 9 °C

Analysis Started: 6/23/2016
Analysis Completed: 6/24/2016

WORK ORDER SUMMARY

ANALYSES WERE PERFORMED ON THE FOLLOWING SAMPLES. THE RESULTS RELATE ONLY TO THE ITEMS TESTED.

Sample Description	Lab ID	Matrix	Type	Comments	Date Collected	Time Collected
161-1 (Standing)	727901	Treated Water	Plumbing		6/16/2016	6:30 AM
161-2 (Flushed)	727902	Treated Water	Plumbing		6/16/2016	7:05 AM

METHODS AND INSTRUMENTATION

THE FOLLOWING METHODS WERE USED FOR YOUR SAMPLE(S):

Method	Lab	Description	Reference
ICPMS Water	Garson	Determination of Metals in Water by ICP/MS	Based on SW846-6020A

REPORT COMMENTS

ESTIMATED STANDING TIME: 15hrs

This report has been approved by:

Khaled Omari, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS

RDSB - Westmount Avenue Public School

Work Order Number: 276530

WORK ORDER RESULTS

Sample Description	161 - 1 (Standing)		161 - 2 (Flushed)			
Lab ID	727901		727902			
Metals	Result	MDL	Result	MDL	Units	Criteria: O.Reg. 243/07
Lead	4.35	0.1	0.36	0.1	ug/L	10

LEGEND

Dates: Dates are formatted as mm/dd/year throughout this report.

MDL: Method detection limit or minimum reporting limit.

Quality Control: All associated Quality Control data is available on request.

LCL: Lower Control Limit.

UCL: Upper Control Limit.

QAQCID: This is a unique reference to the quality control data set used to generate the reported value. Contact our lab for this information, as it is traceable through our LIMS.



CERTIFICATE OF ANALYSIS

RDSB - Westmount Avenue Public School

Work Order Number: 276530

QUALITY CONTROL DATA

THIS SECTION REPORTS QC RESULTS ASSOCIATED WITH THE TEST BATCH; THESE ARE NOT YOUR SAMPLE RESULTS

Metals							
%RPD							
Parameter	MDL	Units	LCL	Result	UCL	QAQCID	
Lead	N/A	%	0	N/A	20	20160623.R13-5o1	
Method Blank							
Parameter	MDL	Units	LCL	Result	UCL	QAQCID	
Lead	1	ug/L	0	<1	1	20160623.R13-5o1	
Positive Control							
Parameter	MDL	Units	LCL	Result	UCL	QAQCID	
Lead	N/A	%	80	100	120	20160623.R13-5o1	
Reference Sample							
Parameter	MDL	Units	LCL	Result	UCL	QAQCID	
Lead	N/A	% Rec	80	99.8	120	20160623.R13-5o1	
Sample Spike							
Parameter	MDL	Units	LCL	Result	UCL	QAQCID	
Lead	N/A	% Rec	70	94.9	130	20160623.R13-5o1	

THIS INDEX SHOWS HOW YOUR SAMPLES ARE ASSOCIATED TO THE CONTROLS INCLUDED IN THE IDENTIFIED BATCHES.

Sample Description	Lab ID	Method	QAQCID	Prep QAQCID
161 - 1 (Standing)	727901	ICPMS Water	20160623.R13-5o1	20160623.R52Q
161 - 2 (Flushed)	727902	ICPMS Water	20160623.R13-5o1	20160623.R52Q

DRINKING WATER CHAIN OF CUSTODY FORM

Please use our General Chain of Custody Form for non-drinking water sample submissions

REPORT TO: Client: <u>RDSB - Westmount Ave P.S.</u> Address: <u>511 Westmount Ave</u> <u>Sudbury, ON P3A 1B3</u> Contact: <u>Mark Bocy</u> Email: <u>bocym@rainbowschools.ca; lavallm@rainbowschools.ca</u> Phone: <u>705-674-3174</u> Fax: _____	INVOICE TO: (if different from Report) Client: _____ Address: _____ Contact: _____ Email: _____ Phone: _____ Fax: _____	PROJECT INFORMATION: TM Quote #: _____ Client P.O. #: _____ Client Project #: _____
--	---	---

REPORTING/INVOICING FORMAT <input type="checkbox"/> Fax <input checked="" type="checkbox"/> Email <input type="checkbox"/> Mail	TURN AROUND TIME (TAT)* <input type="checkbox"/> 1 Business Day <input type="checkbox"/> 2 Business Days <input type="checkbox"/> 3 Business Days <input checked="" type="checkbox"/> Standard	ANALYSIS REQUESTED	LABORATORY USE ONLY WORK ORDER NUMBER: <div style="font-size: 2em; color: red; text-align: center;">276530</div>																																																								
QC DATA REPORTED <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	SPECIFIC DATE: <u>Mon 27</u> <small>* Prior arrangements must be made for rush/weekend/holiday work</small>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2" style="writing-mode: vertical-rl; transform: rotate(180deg);">Resample (Yes or No?)</th> <th rowspan="2" style="writing-mode: vertical-rl; transform: rotate(180deg);">ICPMS 1 (Pb)</th> <th colspan="12" style="text-align: center;">ANALYSIS REQUESTED</th> <th rowspan="2" style="writing-mode: vertical-rl; transform: rotate(180deg);">Free</th> <th rowspan="2" style="writing-mode: vertical-rl; transform: rotate(180deg);">Residual Chlorine*</th> <th rowspan="2" style="writing-mode: vertical-rl; transform: rotate(180deg);">Total</th> </tr> <tr> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">CONTAINERS RECEIVED</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">TEMP</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">Btl. Type</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">Lab ID</td> </tr> <tr> <td style="text-align: center;">x</td> <td style="text-align: center;">x</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> <td style="text-align: center;">1</td> <td style="text-align: center;">9</td> <td style="text-align: center;">LP</td> <td style="text-align: center;">727901</td> </tr> <tr> <td style="text-align: center;">x</td> <td style="text-align: center;">x</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> <td style="text-align: center;">1</td> <td style="text-align: center;">↓</td> <td style="text-align: center;">↓</td> <td style="text-align: center;">727902</td> </tr> </table>	Resample (Yes or No?)	ICPMS 1 (Pb)	ANALYSIS REQUESTED												Free	Residual Chlorine*	Total	CONTAINERS RECEIVED	TEMP	Btl. Type	Lab ID	x	x													1	9	LP	727901	x	x													1	↓	↓	727902
Resample (Yes or No?)	ICPMS 1 (Pb)				ANALYSIS REQUESTED															Free	Residual Chlorine*	Total																																					
		CONTAINERS RECEIVED	TEMP	Btl. Type	Lab ID																																																						
x	x													1	9	LP	727901																																										
x	x													1	↓	↓	727902																																										
SAMPLE DISPOSAL <input type="checkbox"/> Hold <input checked="" type="checkbox"/> Dispose <input type="checkbox"/> Return	SAMPLING <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">DATE (mm-dd-yy)</th> <th rowspan="2">TIME</th> <th colspan="4">Type**</th> <th rowspan="2">SAMPLE DESCRIPTION</th> <th rowspan="2">Water Trax # (if appl)</th> </tr> <tr> <th>R</th> <th>T</th> <th>D</th> <th>P</th> </tr> <tr> <td><u>06/16/16</u></td> <td><u>630</u></td> <td></td> <td></td> <td></td> <td style="text-align: center;">x</td> <td><u>161-1</u> (Standing)</td> <td style="text-align: center;">x</td> </tr> <tr> <td></td> <td><u>705</u></td> <td></td> <td></td> <td></td> <td style="text-align: center;">x</td> <td><u>161-2</u> (Flushed)</td> <td style="text-align: center;">x</td> </tr> </table>	DATE (mm-dd-yy)	TIME	Type**				SAMPLE DESCRIPTION	Water Trax # (if appl)	R	T	D	P	<u>06/16/16</u>	<u>630</u>				x	<u>161-1</u> (Standing)	x		<u>705</u>				x	<u>161-2</u> (Flushed)	x																														
DATE (mm-dd-yy)	TIME			Type**						SAMPLE DESCRIPTION	Water Trax # (if appl)																																																
		R	T	D	P																																																						
<u>06/16/16</u>	<u>630</u>				x	<u>161-1</u> (Standing)	x																																																				
	<u>705</u>				x	<u>161-2</u> (Flushed)	x																																																				

CONFIRMATION REPORT SENT

**Type: R=Raw, T=Entry/Treated, D=Distribution, P=Plumbing (O.REG. 170 / O.REG. 318 / 319 / O.REG. 243)	REGULATION Waterworks # <u>500040288</u> <input type="checkbox"/> O. REG. 170 <input type="checkbox"/> O. REG. 318/319 <input checked="" type="checkbox"/> O. REG. 243 <input type="checkbox"/> ODWS LSN Form Submitted to MOE/PHU? <input type="checkbox"/> Not Applicable <input type="checkbox"/> Yes <input type="checkbox"/> No Are these water samples for human consumption? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Are the results reportable as per O. REG. 170/318/319? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---	--

COMMENTS/FIELD NOTES: ESTIMATED STANDING TIME: <u>15 hours</u> Sampled By (Print and Sign) <u>Rick Trotter</u> Date <u>June 16, 2016</u> Time _____ Received By (Print and Sign) _____ Date _____ Time _____	O. REG. 170/318/319 Only: Phone: <u>705-522-9200</u> Public Health Unit: SDHU Fax: <u>705-677-9607</u> Relinquished to Testmark By (Signature) <u>[Signature]</u> Date _____ Time _____ Shipped By <u>hand</u> Shipping Reference <u>22392</u> Received at Testmark By <u>EM</u> Date <u>06-17-16</u> Time <u>08:32</u>
---	---



TESTMARK Laboratories Ltd.

Committed to Quality and Service

Confirmation of Sample Receipt

Your samples have been received at Testmark's Sample Reception and have now been issued a unique Work Order number as well as unique Sample I.D. numbers.

Here are some details of your submission:

Client Name: RDSB - Westmount Avenue Public School
Contact: Mark Bocy
Project Number:
Work Order #: 276530
Date Received: 6/17/2016
Method of Shipment: Hand
Waybill Reference #: 22392
Estimated Date of Completion*: 6/27/2016
Water Works #: 500040288

Sample Details

Sample Number	Sample Date	Sample Description	Analysis	Regulation (if applicable)
727901	6/16/2016	161-1 (Standing)	ICPMS Water	O.Reg. 243/07
727901	6/16/2016	161-1 (Standing)	MetalsWater/Prep	O.Reg. 243/07
727902	6/16/2016	161-2 (Flushed)	ICPMS Water	O.Reg. 243/07
727902	6/16/2016	161-2 (Flushed)	MetalsWater/Prep	O.Reg. 243/07

Entry of your submission is based on information contained on your Chain of Custody. If you have any questions regarding this submission, kindly contact Testmark's Customer Service department by email using customer.service@testmark.ca

* Please note this is an estimated date. Over 95% of our reports are completed within 5 business days. Please note however that non-routine and subcontracted analyses may significantly exceed normal turnaround times.

In these cases, a partial report may be issued.